Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

ENVELOPE WINDOW FILM

Code	Description	Applications	Food Contact	Thickness (mu)
EnviroCycle EWF FMAHUF	Matt Polystyrene Film Anti-scratch	Envelope Windows Labels Printing	NO	25, 27
EnviroCycle EWF22DG	Matt Biodegradable Polystyrene Film	Envelope Windows	NO	29
EnviroCycle EWF700M	Clear Biodegradable & Compostable Cellulose Material 1 Side Gloss / 1 Side Matt	Envelope Windows	NO	28
EWF1000	Clear Polystyrene Film	Envelope Windows Interleafing Labels Printing	YES	29, 32, 38, 50, 75, 100
EWF2003 LDLJ	Matt Polystyrene Film Anti-scratch	Envelope Windows Labels Printing	NO	27, 29, 32, 38, 50, 75
EWF2006	Matt Polystyrene Film Anti-scratch	Envelope Windows Interleafing Labels Printing	YES	38, 50, 75
EWF3000	Matt Polystyrene Film Anti-scratch Tinted colours	Envelope Windows Carton Windows	NO	27, 29, 32, 38, 50, 75
EWF40LS	Clear Polyester Film 2 Side Corona treated	Envelope Windows Labels Printing	YES	36, 50

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

ENVELOPE WINDOW FILM

Code	Description	Applications	Food Contact	Thickness (mu)
EnviroCycle EWF8000HO	Clear PLA Heat Sealable Material Industrial Compostable	Envelope Windows Labels Printing	YES	25, 30, 35, 40, 50
EnviroCycle GWF2500	Glassine	Envelope Windows Packaging liners	NO	20, 25, 30, 32, 35, 37, 40, 50, 60
SRP2800	Silicone Release Liner (White Bleached Kraft Paper)	Envelope Windows Labels Laminations	NO	35 gsm, 45 gsm, 60 gsm
SRP2800T	Silicone Transfer Tape (Transfer tape with an adhesive carrying silicone coated bleached Kraft paper)	Peel and Seal applications Envelopes Business Forms	NO	

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

CARTON WINDOW FILM

Code	Description	Applications	Food Contact	Thickness (mu)
EnviroCycle CWF4000	Clear Polyester Film, 2 Side Corona treated	Carton Window Envelopes Labels Printing	YES	23, 30, 36, 50
EnviroCycle CWF8000HO	Clear PLA Heat Sealable Material Industrial Compostable	Carton Window Envelopes Labels Printing	YES	25, 30, 35, 40, 50

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

SHRINK SLEEVE / SHRINK LABEL FILM

Code	Description	Applications	Food Contact	Thickness (mu)
EnvirCycle LCF42RH	Clear Polyester Heat Shrinkable Film	Shrink Label Shrink Film Shrink Sleeve	NO	40, 45
EnvirCycle LCF42RL	Clear Polyester Heat Shrinkable Film	Shrink Label Shrink Film Shrink Sleeve	NO	40, 45
EnvirCycle LCF42SH	Clear Polyester Heat Shrinkable Film	Shrink Label Shrink Film Shrink Sleeve	NO	35, 70
EnvirCycle LCF42SL	Clear Polyester Heat Shrinkable Film	Shrink Label Shrink Film Shrink Sleeve	NO	35, 70

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

PRESSURE SENSITIVE / LABEL FILM

Code	Description	Applications	Food Contact	Thickness (mu)
LCF1000	Clear Polystyrene Film	Envelope / Carton Labels Food Separators Lamination	YES	29, 32, 38, 50, 75, 100
LCF1002	Clear Polystyrene Film	Envelope / Carton Labels Food Separators Lamination	YES	26
LCF200M	Matt Low Gloss Polystyrene Film	Lamination	NO	24, 45
LCF2006	Matt Polystyrene Film Anti-scratch	Interleafing Labels Printing	YES	38, 50, 75
LCF3006	Opaque Polystyrene Film	Envelope Windows Carton Widows Interleafing Labels	YES	38, 50, 75
LCF3500	White Gloss Polystyrene Film	Food insert labels Tickets and tags	YES	60, 100, 175
LCF3605	Matte White Polystyrene Film 1 Side Corona treated	Labels Printing / Lamination	YES	62, 100, 175
LCF4000	Clear Polyester Film 2 Side Corona treated	Carton Windows Labels Printing / Lamination	YES	10, 12, 15, 19, 23, 30, 36, 50
LCF4750	Metallised Polyester Film 1 Side Corona treated	Labels Printing / Lamination	YES	36

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

PRESSURE SENSITIVE / LABEL FILM

Code	Description	Applications	Food Contact	Thickness (mu)
LCF4001 CHF	Matte Polyester Film 1 Side Corona treated	Overlamination Labels Printing / Lamination	YES	12
LCF5000 CHF	Matt Polypropylene Film - 1 Side Gloss / 1 Side 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Overlamination Labels Printing / Lamination	YES	18, 20, 25, 30
LCF5213	Clear Polypropylene Film 1 Side Corona treated	Overlamination Bags / Bag Windows Labels Printing / Lamination	YES	10, 12 ,15 ,18, 25, 30, 35, 38, 40
LCF5223	Clear Polypropylene Film 2 Side Corona treated	Overlamination Bags / Bag Windows Labels Printing / Lamination	YES	12, 15, 19, 25, 30, 50
LCF57514	Metallised Polypropylene Film 1 Side Corona treated	Labels Printing / Lamination	YES	15, 18, 20, 25, 30, 35, 40
EnviroCycle LCF8000HO	Clear PLA Heat Sealable Material Industrial Compostable	Labels Printing	YES	20, 25, 30, 35, 40, 50

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

FLEXIBLE PACKAGING FILM

Code	Description	Applications	Food Contact	Thickness (mu)
EnviroSafe HSF5112H BD	Biodegradable or Printed Clear Polypropylene Film 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	YES	20, 30, 40
HSF5114H	Clear or Printed Polypropylene Film 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	YES	15, 18, 20, 25, 30, 35, 40, 48
HSF5114 LS	Clear Polypropylene Film 1 Side Low Heat sealable 1 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	20, 25, 30, 35
HSF5115H AF	Clear Polypropylene Film - Antifog 2 Side Heat sealable 1 Side Antifog and Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	YES	20, 25, 30, 35, 40
HSF5116A (COF 0.33) HSF5116B (COF 0.55)	Clear Polypropylene Film - Modified COF (High Slip) 1 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	20, 25, 30 20, 25, 30, 35, 40
HSF5118 NHS	Crystal Clear Polypropylene Film 1 Side Corona treated	Greeting Cards Hot Wire Welding	YES	20, 25, 30, 40
HSF5400H	Clear Polypropylene Film - 1 Side Acrylic / 1 Side PVdC 2 Side Heat sealable Better WV and OT Rates	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	21, 26, 32, 42
HSF5425H	Clear Polypropylene Film - 2 Side Acrylic 2 Side Heat sealable Aroma and Flavour Barrier	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	20, 25, 30, 35, 40
HSF5450W	Clear Polypropylene Film - PVdC / PVdC 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	YES	32, 50

BRCGS Packaging Materials CERTIFICATED
nqa ISO 9001 QUALITY MANAGEMENT

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

FLEXIBLE PACKAGING FILM

Code	Description	Applications	Food Contact	Thickness (mu)
HSF5120H	Cavitated White Polypropylene Film 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	20, 25, 30, 35
HSF5125H	Solid White Heat Sealable Polypropylene Film 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	20, 25, 30, 35, 40
HSF5150H	Cavitated White Pearlised Polypropylene Film 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	30, 35, 40, 50
HSF57514H	Metallised Plain or Printed Polypropylene Film 1 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Printing / Lamination	YES	20, 25, 30, 35, 40
HSF5500W	Clear Cast Polypropylene Film (Weldseal) 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	YES	20, 25, 30, 35, 40, 45, 50, 58, 60, 65, 70, 75, 80, 90, 100, 120
HSF5500P	Clear Cast Polypropylene Film (Peelable) 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	YES	20, 25, 30, 35, 40, 45, 50, 58, 60, 65, 70, 75, 80, 90, 100, 120
EnvircCycle HSF5800 PCR	Clear Polypropylene Film (30% PCR Content) 2 Side Heat sealable 1 Side Corona treated	HFFS / VFFS / Flow Wrap Bags / Bag Windows Printing / Lamination	NO	25, 30, 35, 40, 48
HST9026	Clear PVC Twist Film	Twist Wrap	YES	26
HST4922	Clear Polyester Twist Film	Twist Wrap	YES	18, 22, 27
HSL4000W ALOx	Clear Heat Sealable AlOx Laminate Film (Weldseal)	HFFS / VFFS / Flow Wrap Pouch	YES	27, 32, 37

BRCGS Packaging Materials CERTIFICATED
nqa ISO 9001 QUALITY MANAGEMENT

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

FLEXIBLE PACKAGING FILM

Code	Description	Applications	Food Contact	Thickness (mu)
HSL4200W	Clear or Printed LLDPE/PET Laminate Film 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	12/30, 12/38 12/50
HSL4200W PVdC	Clear LLDPE/PVdC/PET Laminate Film 1 side heat sealable Gas-flushable Barrier Film	HFFS / VFFS / Flow Wrap Pouch	YES	12/30, 12/38 12/50
HSL4200W EVOH	Clear LLDPE/EVOH/PET Laminate Film 1 side heat sealable Gas-flushable Barrier Film	HFFS / VFFS / Flow Wrap Pouch	YES	12/30, 12/38 12/50
HSL4250W EVOH	PET/PA/EVOH/LLDPE Laminate Film 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	12/50
HSL5114H	Printed OPP/OPP Laminate Film 2 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	15/15, 20/20 20/25, 25/25
HSL5150M	Printed OPP/OPP Mottled Laminate Film 2 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	20/20
HSL5400W	Clear or Printed OPP/LLDPE Laminate Film 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	20/30
HSL5500W	Clear OPP/CPP Laminate Film 2 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	65, 120
HSL6200W	Clear or Printed Heat Sealable PA/PE Laminate Film 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	20/30
HSL5P44H	Recyclable Heat Sealable PE Coated 44gsm White Kraft Paper 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	44
HSL5P64H EVOH HSL5P94H EVOH	Recyclable Heat Sealable High Barrier Coated 64gsm White Kraft Paper 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	64 94
HSL5P88H	Recyclable Heat Sealable PE Coated 88gsm White Kraft Paper 1 side heat sealable	HFFS / VFFS / Flow Wrap Pouch	YES	88

MULTIPLASTICS (EUROPE) LIMITED

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

FLEXIBLE PACKAGING: RECYCLABLE & PLASTIC FREE

Code	Description	Applications	Food Contact	Thickness (mu)
EnvirCycle HSF8000HO	Clear PLA Heat Sealable Material Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	17, 20, 25, 30, 35, 40, 50
EnvirCycle HSF8050NK	Clear or Printed High Barrier Cellulose Heat Sealable Material Home Compostable and Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	19, 23, 30, 42
EnvirCycle HSL8050NK	Clear or Printed High Barrier Laminated Cellulose Heat Sealable Material Home Compostable and Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	19/19 19/30
EnvirCycle HSF8050NM	Metallised High Barrier Cellulose Heat Sealable Material Home Compostable and Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	23, 30, 45
EnvirCycle HSF8055	Clear Ovenable Cellulose Heat Sealable Material Home Compostable and Industrial Compostable	Lidding Film	YES	23, 30
EnvirCycle HSF8070A	Clear Cellulose Heat Sealable Material Home Compostable and Industrial Compostable	HFFS / VFFS / Flow Wrap Ovenable and Microwavable	YES	23, 30
EnvirCycle HSF8120HO	White PLA Heat Sealable Material Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	30
EnvirCycle HSF8125A	White High Barrier Cellulose Heat Sealable Material Home Compostable and Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	42
EnvirCycle HSF8150HO	White Voided PLA Heat Sealable Material Industrial Compostable	HFFS / VFFS / Flow Wrap Printing / Lamination / Bags	YES	30
EnvirCycle HSL8106H	High Barrier Heat Sealable Paper 1 side heat sealable	HFFS / VFFS / Flow Wrap	YES	106
EnvirCycle HSL5P44H HSL5P88H	Recyclable Heat Sealable PE Coated 44gsm / 88gsm White Kraft Paper 1 side heat sealable	HFFS / VFFS / Flow Wrap	YES	44 88
EnvirCycle HSL5P64H EVOH HSL5P94H EVOH	Recyclable Heat Sealable High Barrier Coated 64gsm / 94gsm White Kraft Paper 1 side heat sealable	HFFS / VFFS / Flow Wrap	YES	64 94

BRCGS Packaging Materials CERTIFICATED
nqa ISO 9001 QUALITY MANAGEMENT

MULTIPLASTICS (EUROPE) LIMITED

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

FLEXIBLE PACKAGING: LIDDING FILM

Code	Description	Seal To	Applications	Food Contact	Thickness (mu)
HSF4000W	Clear or Printed Polyester Film - Weldable 1 Side Heat sealable 1 Side Corona treated	APET / PETG / PVC / ALUMINIUM / PAPER / STEEL / GLASS	Lidding Film HFFS / VFFS / Flow Wrap Bags / Bag Windows	YES	15, 20, 25, 30, 40
HSF4000W AF	Clear Polyester Film - Weldable, Anti-fog 1 Side Heat sealable 1 Side Anti-fog 1 Side Corona treated	APET / PETG / PVC / ALUMINIUM / PAPER / STEEL / GLASS	Lidding Film HFFS / VFFS / Flow Wrap Bags / Bag Windows	YES	20, 25, 30
HSL4050W	Clear Heat Sealable PET / CPP Laminate Film (Weldseal)	PP	Lidding Film HFFS / VFFS / Flow Wrap Pouch	YES	12/30
HSF4210W	White Polyester Film - Weldable 1 Side Heat sealable 1 Side Corona treated	APET / PETG / PVC / ALUMINIUM / PAPER / STEEL / GLASS	Lidding Film HFFS / VFFS / Flow Wrap Bags / Bag Windows	YES	20, 25
HSF4215W	White Laminated Film - Weldable 1 Side Heat sealable 1 Side Corona treated	APET / PETG / PAPER / STEEL / GLASS	Lidding Film HFFS / VFFS / Flow Wrap Bags / Bag Windows	YES	12/60
HSF4215P	White Laminated Film - Peelable 1 Side Heat sealable 1 Side Corona treated	APET / PETG / PAPER / STEEL / GLASS	Lidding Film HFFS / VFFS / Flow Wrap Bags / Bag Windows	YES	12/60
HSF4500P	Clear Polyester Film - Peelable 1 Side Heat sealable + 1 Side Corona treated 1 Side Anti-fog	APET / modified CPET / PETG / RPET / PVC / PC / PLA	Lidding Film HFFS / VFFS / Flow Wrap Printing / Lamination	YES	14, 20, 25, 32, 38
HSF4500P AF	Clear Polyester Film - Peelable, Anti-fog 1 Side Heat sealable + 1 Side Corona treated 1 Side Anti-fog	APET / modified CPET / PETG / RPET / PVC / PC / PLA	Lidding Film HFFS / VFFS / Flow Wrap Printing / Lamination	YES	14, 20, 25, 32, 38
HSL4200W	Clear LLDPE/PET Laminate Film 1 side heat sealable	PP	Lidding Film HFFS / VFFS / Flow Wrap Pouch	YES	12/38 12/50

BRCGS Packaging Materials CERTIFICATED
nqa ISO 9001 QUALITY MANAGEMENT

MULTIPLASTICS (EUROPE) LIMITED

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

THERMOFORMING / SPECIALITY FILM

Code	Description	Applications	Food Contact	Thickness (mu)
MPX1100	Prime Clear OPS Polystyrene Film	Bakery and Deli Applications	YES	127mu to 610mu
MPX1120	Prime Clear OPS Polystyrene Film - Anti-Fog	Bakery and Deli Applications Prepared Foods	YES	127mu to 610mu
MPX1150	Clear Polystyrene Film - Shrink Art	Graphic Arts	NO	178mu to 508mu
EnvirSafe MPX1200	Clear OPS Polystyrene Film Contains Recycled Content	Economic options with recycled content	NO	127mu to 610mu
MPX1300	Crystal Clear High Clarity OPS Polystyrene Film	Bakery and Deli Applications	YES	127mu to 508mu
MPX1500	OPS Polystyrene Film - Freezer Modified Clear and Coloured available	Freezer Applications	YES	127mu to 610mu
EnvirSafe MPX1600	OPS Polystyrene Film - Lightweight material Clear and Coloured available	Bakery and Deli Applications	YES	127mu to 610mu
MPX4100	Clear A-PET Clear and Coloured available	Bakery and Deli Applications	YES	242mu to 889mu
EnvirSafe MPX4200	Clear R-PET Economical Alternative Clear and Coloured available			242mu to 889mu
EnvirSafe MPX4203	Impact Modified R-PET Economical Alternative Clear and Coloured available			242mu to 889mu
EnvirSafe MPX4300	PETEWICH Recycled PET capped in virgin polymer		YES	355mu to 889mu
MPX4500	Prime Clear PET - Anti-Fog Inhibits fogging when used as lid stock	Bakery and Deli Applications	YES	

BRCGS Packaging Materials CERTIFICATED
nqa ISO 9001 QUALITY MANAGEMENT

Multiplastics (Europe) Limited
Columbus House,
30 Manchester Road,
Northwich, Cheshire,
CW9 5ND

Tel: +44 (0) 1606 330011
sales@multiplastics.co.uk
www.multiplastics.co.uk

THERMOFORMING / SPECIALITY FILM

Code	Description	Applications	Food Contact	Thickness (mu)
EnviroSafe MPX4650	Side by Side PET Anti-fog available Clear and Coloured available	Bakery and Deli Applications	YES	254mu to 635mu
MPX2100	Prime Clear OPS Film	Lamination & Print Grade	NO	25mu to 102mu
MPX2200	Prime Graphic Arts OPS Matt and Gloss Clear and Coloured available	Graphic Arts	NO	25mu to 102mu
MPX2700	Lamination Film Matt and Gloss Clear and Coloured available	Laminating to EPS & HIPS	NO	25mu to 102mu
MPX2800	Clear Polystyrene Film	Bale Wrap Where wrapping can be consumed within the product	NO	75